

Table of Contents

Categorized Listing


HOOD FANS VENTILATORS TABLE OF CONTENTS	1451
FANS, EXHAUST	1452
<i>NUTONE DELUXE EXHAUST FANS</i>	1452
<i>NUTONE DELUXE FAN-LIGHTS</i>	1452
<i>NUTONE HIGH CFM EXHAUST FANS</i>	1452
<i>NUTONE IN-LINE FAN KITS</i>	1452
<i>NUTONE IN-LINE FANS</i>	1453
<i>NUTONE IN-LINE FAN ACCESSORIES</i>	1453
<i>NUTONE QT SERIES QUIETTEST FANS</i>	1453
<i>NUTONE QUIETTEST FANS AND FAN/LIGHT COMBINATIONS</i>	1453
<i>NUTONE ULTRA-SILENT FANS</i>	1454
<i>NUTONE ULTRA</i>	1454
<i>NUTONE ULTRA-SILENT FANS</i>	1454
<i>NUTONE ULTRA</i>	1454
<i>NUTONE ULTRA-SILENT FANS</i>	1455
<i>NUTONE ULTRA</i>	1455
<i>NUTONE ULTRA-SILENT FANS</i>	1455
<i>NUTONE VALUETEST EXHAUST FAN</i>	1455
<i>NUTONE VALUETEST FAN-LIGHT COMBINATIONS</i>	1455
FANS, PADDLE	1456
<i>NUTONE PADDLE FANS</i>	1456
HEATERS, CEILING	1456
<i>NUTONE BUILT-IN HEATERS</i>	1456
VENTILATION ACCESSORIES, ELBOW	1457
<i>NUTONE VENTILATION ACCESSORIES</i>	1457
VENTILATION ACCESSORIES, FILTER	1457
<i>NUTONE VENTILATION ACCESSORIES</i>	1457
VENTOLATER ACCESSORIES	1457
<i>ROOF CAP</i>	1457
VENTILATION ACCESSORIES, SWITCH	1457
<i>NUTONE VENTILATION ACCESSORIES</i>	1457
VENTILATION ACCESSORIES, TRANSITION	1457
<i>NUTONE VENTILATION ACCESSORIES</i>	1457
VENTILATION ACCESSORIES, WALL CAP	1457
<i>NUTONE VENTILATION ACCESSORIES</i>	1457
ADJUSTABLE ELBOW	1458
<i>NORWESCO GALVANIZED 90deg. ADJUSTABLE ELBOW</i>	1458
FURNACE PIPE	1458
<i>NORWESCO GLAVANIZED FURNACE PIPE</i>	1458
VENTS, DRYER	1458
<i>JOHNSTONE CLOTHES DRYER HOOK-UP FITTINGS</i>	1458
VENTS, MINIATURE	1458
<i>MORWESCO MINIATURE VENTS</i>	1458
<i>NORWESCO MINIATURE VENTS</i>	1459
VENTS, SOFFIT	1459
<i>NORWESCO SOFFIT VENTILATORS</i>	1459
WALL STACK	1459
<i>NORWESCO WALL STACK</i>	1459

FANS, EXHAUST

NUTONE DELUXE EXHAUST FANS

Exhaust Fan, 110 cfm


Deluxe Exhaust Fans - For Baths with Independent Lighting.



110 CFM exhaust fan. 4.0 sones. Mounts in ceiling or in 2" x 6" wall. UL Listed for tub/shower with GFI branch circuit wiring. White polymeric grille. Uses 4" duct. For baths up to 105 sq. ft., other rooms up to 135 sq. ft. Housing Size 9" x 9" x 5 1/2" - Silver Anodized Aluminum. Items marked F.O.O. - Allow a minimum of 3 weeks for delivery.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-825	NUTONE 8814R CEIL.FAN;was 8814; FOO	ea	1	\$166.74

Exhaust Fan, 80 cfm, Aluminum Grille




80 CFM exhaust fan. 2.5 sones. Uses 3" duct. For baths up to 75 sq. ft., other rooms up to 100 sq. ft. Housing Size 8 7/16" x 11 3/8" x 3 7/8". Grille size 8 7/16" x 10 7/16".

BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-830	NUTONE 8832SA CEILING/WALL FAN; FOO	ea	1	\$176.26

NUTONE DELUXE FAN-LIGHTS

Fan Light, Satin Aluminum, Circular Grille




100 CFM exhaust fan. 3.5 sones. 100W ceiling light. 7W night light. UL Listed for tub/shower with GFI branch circuit wiring. 4" duct. For baths up to 95 sq. ft., other rooms up to 125 sq. ft. Items marked F.O.O. - Allow a minimum of 3 weeks for delivery.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-790	NUTONE 8663RP FAN/LITE; 8663P	ea	1	\$214.80

NUTONE HIGH CFM EXHAUST FANS

Inside Wall or Ceiling Fan, 8" Round

Fans for Inside Walls or Ceilings



Fit 2" x 4" walls or install in ceilings. Motors and impeller-type blade assemblies with one-piece electronically balanced aluminum blades snap in. Housings have plug-in electrical receptacle.


180 CFM exhaust fan. 5.5 sones. Use 834 permanent filter (optional). For kitchens up to 90 sq. ft., other rooms up to 225 sq. ft. Housing Size 13 1/16" x 11 5/8" x 3 3/16" - Silver Anodized Aluminum. Items marked F.O.O. - Allow a minimum of 3 weeks for delivery.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-760	NUTONE 8310 CEILING & WALL FAN; FOO	ea	1	\$188.74

Vertical Discharge Fan, 7" Round

High CFM Fans - For Family Rooms, Kitchens, Laundries

Vertical Discharge Ceiling Fans



Excellent for kitchens, laundries, commercial restrooms, anywhere you want to move a large volume of air. Install in ceiling and ventilate directly through the roof with round ducting. Adjustable hanger bars for 16" or 24" o.c. joists. Pre-wired plug-in motors.

7" Round Fan: 210 CFM exhaust fan. 6.5 sones. Anodized aluminum grille (extends 2"). Installs in 9 1/8" dia. opening. Use 834 Permanent Filter (optional). Uses 7" round duct. For kitchens up to 105 sq. ft., baths up to 155 sq. ft., other rooms up to 260 sq. ft.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-750	NUTONE 8210 CEILING FAN; FOO	ea	1	\$153.98

NUTONE IN-LINE FAN KITS

Includes fan, grills, and damper, duct clamps. Items marked F.O.O. - Allow a minimum of 3 weeks for delivery.




BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-613	NUTONE ILFK120 4"120CFM FANxGRL;FOO	ea	1	\$309.30
274-614	NUTONE ILFK130 5"130CFM FANxGRL;FOO	ea	1	\$322.76
274-615	NUTONE ILFK250 6"250CFM FANxGRL;FOO	ea	1	\$349.62
274-616	NUTONE ILFK250-2 6" FAN xGRILLE FOO KIT	ea	1	\$403.46

FANS, EXHAUST

NUTONE IN-LINE FANS

In-Line Fan, 110 cfm

Great new ventilating options for residential and light commercial use.




Fans install in remote locations. Noise is virtually eliminated. One fan can be used to ventilate two areas. Transfer heat or air conditioning to a new addition or drafty room. Clear the air in a stuffy office or meeting room. Perfect for ventilating showers, hot tubs, spas (motor is not affected by moisture). Move air from room to room. Note: Not for use in cooking areas. Suitable for use with solid-state speed controls. Housing mounts directly to bracket. Bracket mounts to rafter or joist. Complete installation instructions included with each unit. Switches and accessories available separately. Items marked F.O.O. - Allow 2 weeks for delivery. **FANS ONLY - GRILLE PURCHASED SEPERATELY.**

Air Delivery: 110 CFM at .2" S.P., Sound Level: N/A - unit is remotely mounted, Housing: Durable, polycarbonate plastic, Motor: External rotor, ball bearing, 115 volts AC, 60Hz; .37 amps. Blower Wheel: Backward inclined centrifugal. Duct Size: 4" diameter.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-610	NUTONE ILF-120 4"120CFM IN-LINE FAN	ea	1	\$282.40


In-Line Fan, 130 cfm



Air Delivery: 130 CFM at .2" S.P., Sound Level: N/A - unit is remotely mounted, Housing: Durable, polycarbonate plastic, Motor: External rotor, ball bearing, 115 volts AC, 60Hz; .37 amps. Blower Wheel: Backward inclined centrifugal. Duct Size: 5" diameter. Items marked F.O.O. - Allow a minimum of 3 weeks for delivery.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-611	NUTONE ILF-130 5" 130CFM FAN; FOO	ea	1	\$295.86

In-Line Fan, 250 cfm



Air Delivery: 250 CFM at .2" S.P., Sound Level: N/A - unit is remotely mounted, Housing: Durable, polycarbonate plastic, Motor: External rotor, ball bearing, 115 volts AC, 60Hz; .80 amps. Blower Wheel: Backward inclined centrifugal. Duct Size: 6" diameter. Items marked F.O.O. - Allow a minimum of 3 weeks for delivery.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-612	NUTONE ILF-250 6" 250CFM FAN; FOO	ea	1	\$309.30

NUTONE IN-LINE FAN ACCESSORIES


4" Sleeve with Dampers

Dampers prevent cold air from entering the home when the fan is not in use.

No Illustration Available

BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-632	NUTONE CVL-D4 4" SLEEVE w/DAMPR;FOO	ea	6	\$42.08

6" Grilles



GRILLES

Nicely rounded for a pleasing, unobtrusive design that will blend in nicely with room decor. Grilles are suitable for supply or exhaust and for wall or ceiling installations. Fully controllable for airflow. Items marked F.O.O. - Allow a minimum of 3 weeks for delivery.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-618	NUTONE CVG-6 6" GRILLE; FOO	ea	6	\$41.86

NUTONE QT SERIES QUIETTEST FANS


Ceiling Fan, 110 CFM



BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-690	NUTONE QT-RN110 CEILING FAN: 1.5	ea	1	\$200.72

NUTONE QUIETTEST FANS AND FAN/LIGHT COMBINATIONS

Ceiling Fan, 200 cfm




200 CFM twin-blower. 2.0 sones. White polymeric grille. 3 1/4" x 10" duct. For bathrooms up to 280 sq. ft., other rooms up to 375 sq. ft. Low RPM motors. Prewired outlet boxes with plug-in receptacles. Install between 16" o.c. joists.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-680	NUTONE QT-200 CEILING FAN; FOO	ea	1	\$270.46

FANS, EXHAUST

NUTONE QUIETTEST FANS AND FAN/LIGHT COMBINATIONS

Ceiling Fan, 300 cfm



300 CFM twin-blower exhaust fan. 4.5 sones. White polymeric grille. 3 1/4" x 10" duct. For bathrooms up to 280 sq. ft., other rooms up to 375 sq. ft. Prewired outlet boxes with plug-in receptacles. Install between 16" o.c. joists.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-685	NUTONE QT-300 CEILING FAN; FOO	ea	1	\$283.26

NUTONE ULTRA-SILENT FANS

Ceiling Fan, 80cfm

No Picture Available

BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-6940	NUTONE QT-RN080 CEILING FAN; 1.0 SONES	ea	1	\$170.76

Ceiling Fan Retrofit Kit, 80cfm



With a telescoping frame and a unique duct attachment system, installation is simplified. The fan goes in faster, connects to joists more solidly, and eliminates unprofessional "rigging." There's also no patching, priming or painting when you're done.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-6951	NUTONE QT-RE080R RETROFIT FAN	ea	1	\$201.86

NUTONE ULTRA

Ceiling Fan, 80 cfm, Energy Star

BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-6954	NUTONE QT-XEN080 ENERGY STAR FAN	ea	1	\$222.34

REN Series Ceiling Fan, 80 cfm, Energy Star

BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-6950	NUTONE QT-REN080 ENERGY STAR FAN 1.0 SONES	ea	1	\$201.86

NUTONE ULTRA-SILENT FANS

Ceiling Fan & Light, 110 cfm



Nearly Silent operation <0.3 to 1.4 Sones. 4" ducting for superior performance. Motor Engineered for continuous operation. UL Listed for use over tub/shower with GFDCI circuit.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-6942	NUTONE QT-RN110L ULTRA SILENT FAN 1.5 SONES	ea	1	\$288.26

NUTONE ULTRA

Ceiling Heater Fan & Light, 110 cfm

BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-6958	NUTONE QT-XN110HL SONES HEATER/FAN REQUIRES DESIGNATED CIRCUIT; 6" DUCT	ea	1	\$482.66

REN Series Ceiling Fan, 110 cfm, Energy Star

BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-6952	NUTONE QT-REN110FLT ENERGY STAR 1.5 SONES	ea	1	\$342.24

FANS, EXHAUST

NUTONE ULTRA-SILENT FANS

Ceiling Fan



• 0.7 Sones • 110 CFM • Sensaire® technology detects the rapid rise in humidity over time • Auto shut-off time is adjustable from 5 to 60 minutes • Helps prevent lingering, excessive humidity which can cause mold • Humidity is sensed at the ceiling where it is most prevalent • Hanger bars for Easy, [Fast and Universal installation in all types of construction <images-site/NuToneHangerBar.pdf>](#) • UL Listed for use over bathtubs and showers when connected to a GFCI protected branch circuit. • 6" ducting for superior performance • ENERGY STAR® qualified.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-6959	NUTONE QT-XEN110S HUMIDITY SENSING FAN; REQUIRES 6" DUCT; 0.7 Sones	ea	1	\$352.36

Ceiling Fan & Light, 150 cfm



Nearly Silent operation <0.3 to 1.4 Sones. 6" ducting for superior performance. Designed to meet Energy Star standards. Motor Engineered for continuous operation. UL Listed for use over tub/shower with GFDCI circuit.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-6945	NUTONE QT-XEN150 ENERGY STAR FAN REQUIRES 6" DUCT; 1.4 SONES	ea	1	\$301.34

NUTONE ULTRA

Ceiling Fan & Light, 150 cfm, Energy Star

BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-6956	NUTONE QT-XEN110FLT ENERGY STAR FAN. REQUIRES 6" DUCT; 1.1 SONES	ea	1	\$362.74

NUTONE ULTRA-SILENT FANS

BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-1550	NUTONE 690NT BATH FAN UPGRADE KIT	ea	1	\$52.58

NUTONE VALUETEST EXHAUST FAN




BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-1540	NUTONE 696N EXHAUST FAN	ea	1	\$37.74

NUTONE VALUETEST FAN-LIGHT COMBINATIONS

Ceiling Fan-Light, 70 cfm

Low-Profile Fanlight



70 CFM exhaust fan. 4.5 sones. 100W ceiling light. Uses 4" duct. For baths up to 65 sq. ft., other rooms to 85 sq. ft. Housing has 24" adjustable hanger bars plus unique mounting brackets that adjust for ceiling thickness up to 3/4". Items marked F.O.O. - Allow a minimum of 3 weeks for delivery.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-1536	NUTONE 668RP BATH FAN/LIGHT; FOO	ea	1	\$124.14

Ceiling Fan-Light, 50 cfm

For Bath, Utility and Recreation Rooms

UL Listed for use in tub/shower enclosure when used with GFI branch circuit wiring. All have White Polymeric Grills unless otherwise noted. Items marked F.O.O. - Allow a minimum of 3 weeks for delivery.

Square Fanlight



For baths up to 45 sq. ft. other rooms up to 60 sq. ft. 50 CFM. 2.5 sones. Quiet operation with one piece molded blower wheel, silent back draft damper. White polymeric grille with break-resistant lens is 10 1/4" x 10 1/2". Slotted mounting brackets. Plug-in motor and light. Steel housing is 9" x 9" x 5 1/2". 4" duct. Uses 100W ceiling light (not included).

BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-1533	NUTONE 763RLN FAN/LITE	ea	1	\$85.62

FANS, PADDLE

NUTONE PADDLE FANS

52" Decorator

Includes five wood blades. Three-speeds - operated by built-in pull chain. Reversible operation. Extends 14" from ceiling to bottom of switch housing. 12" to blades. 52" fan max. amps: .6. Items marked F.O.O. - Allow a minimum of 3 weeks for delivery.




BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-10611	NUTONE PFMB-52-BR PADDLE FAN; FOO	ea	1	\$148.84
274-10613	NUTONE PFMB-52-WH PADDLE FAN; FOO	ea	1	\$138.80

HEATERS, CEILING

NUTONE BUILT-IN HEATERS

Deluxe Heat-A-Ventlite White


500W fan-forced heat. 70 CFM exhaust fan. 3.5 sones. 100W ceiling light. 7W night light. Die cast grille with pebble-texture bezel. Includes 4-function HS-90 wall switch. Uses 4" duct. Housing 13 1/4" dia., 7 1/2" deep. Items marked F.O.O. - Allow a minimum of 3 weeks for delivery.



BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-1411	NUTONE 9093WH HEAT/LIGHT/VENT; FOO	ea	1	\$364.92

QuietTest Heat-A-Ventlite

QuietTest ventilation is incorporated in the Heat-A-Ventlite combination fixture. 1500W fan-forced heat. QT-ventilation - 110 CFM at only 2.5 sones. 100W ceiling light. 7W ceiling light. Die cast grille with pebble-texture bezel. Includes 4-function wall switch. Uses 4" duct. Items marked F.O.O. - Allow a minimum of 3 weeks for delivery.




BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-1413	NUTONE QT-9093WH HEAT/LIGHT/VENT; FOO	ea	1	\$446.70

Economy Heat-A-Vent

Nutone Heat-A-Ventlite®

1500W fan-forced heat. 70 CFM exhaust fan. 4.5 sones. 100W ceiling light. Polycarbonate light lens snaps on and off for re-lamping. Uses 4" duct. White Polymeric. Items marked F.O.O. - Allow a minimum of 3 weeks for delivery.




BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-1535	NUTONE 665RP HEAT/VENT/LITE FOO	ea	1	\$192.20

One-Bulb Heat-A-Vent

Nutone Heat-A-Vent® - Heat-A-Lamp®


250W radiant heat from one 250W r-40 infrared heat lamp (not included). Adjustable hanger bars. Adjustable socket for ceilings up to 1" thick. All other features same as 9427.



BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-1465	NUTONE 9417DN HEAT VENT	ea	1	\$101.04

Two Bulb Heat-A-Lamp


500W radiant heat from two 250W R-40 infrared heat lamps (not included). Provision for heat/light using one heat lamp and one incandescent lamp. Automatic reset thermal protection. Items marked F.O.O. - Allow a minimum of 3 weeks for delivery.



BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-1470	NUTONE 9422P HEAT LAMP	ea	1	\$75.70

Two Bulb Heat-A-Vent

500W radiant heat from two 250W R-40 infrared heat lamps (not included). 70 CFM exhaust fan. Uses 4" duct. Provision for heat/light using one heat lamp and one incandescent lamp. Automatic reset thermal protection. Housing and scroll are all steel. Unit mounts easily in 2" x 8" joists.



BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-1475	NUTONE 9427P HEAT VENT	ea	1	\$130.44

VENTILATION ACCESSORIES, ELBOW

NUTONE VENTILATION ACCESSORIES

90deg. Elbow

BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-465	NUTONE 839 90deg ELBOW; FOO	ea	1	\$25.88

VENTILATION ACCESSORIES, FILTER

NUTONE VENTILATION ACCESSORIES

Filter for 8" Fans

BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-445	NUTONE 834 FILTER FOR 8" RND FANS	ea	1	\$17.16

Filter for 10" Fans



BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-2685	NUTONE 854 FILTER F/10" EXH. FANS; FOO (same as s99010046)	ea	6	\$20.70

VENTOLATER ACCESSORIES

ROOF CAP


BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-480	NUTONE 636 BLACK ROOF CAP (replacing 841BL; 841BWN)	ea	6	\$26.06

VENTILATION ACCESSORIES, SWITCH

NUTONE VENTILATION ACCESSORIES

15-minute Timer Switch

15-minute time switch with two. "On/Off" switches. Mounts in two-gang outlet box. Items marked F.O.O. - Allow a minimum of 3 weeks for delivery.




BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-405	NUTONE VS-69WH 15 MIN TIMER; FOO	ea	6	\$85.96

VENTILATION ACCESSORIES, TRANSITION

NUTONE VENTILATION ACCESSORIES

Transitions

Transitions: To get from one duct size to another.



BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-555	NUTONE 877 TRANSITION 6" ROUND TO 3-1/4" x 10" RECTANGULAR; FOO	ea	1	\$28.30
274-585	NUTONE 886 TRANSITION 7" ROUND TO 3-1/4" x 10" RECTANGULAR; FOO	ea	1	\$28.30

VENTILATION ACCESSORIES, WALL CAP

NUTONE VENTILATION ACCESSORIES

3 1/4X 10 WALL CAP

BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-455	NUTONE 639 BLACK STEEL WALL CAP (Replacing 838BL)	ea	1	\$30.68

3-4" Round Wall Cap

Wall cap with weather louver. For use with 3" or 4" round duct. 3" to 4" transition included. Built in bird screen.



BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-565	NUTONE 885BL BLACK WALL CAP	ea	1	\$27.52

VENTILATION ACCESSORIES, WALL CAP

NUTONE VENTILATION ACCESSORIES

3-4" Round Wall Cap, Aluminum

Wall cap with weather louver. Similar to above but made of aluminum.



BHS#	DESCRIPTION	U/M	BOX	RETAIL
274-570	NUTONE 885AL ALUM WALL CAP; FOO	ea	1	\$34.84

ADJUSTABLE ELBOW


NORWESCO GALVANIZED 90deg. ADJUSTABLE ELBOW

BHS#	DESCRIPTION	U/M	BOX	RETAIL
268-370	NORWESCO 4" GALV ADJ ELBOW 90deg 30ga; STEEL; 144003	ea	12	\$9.58

FURNACE PIPE

NORWESCO GLAVANIZED FURNACE PIPE

30 Gauge. Full joint 24"Length.



BHS#	DESCRIPTION	U/M	BOX	RETAIL
268-290	NORWESCO 4 X 24 GALV FURNACE PIPE DUCT 30ga; STEEL; 318907; FOO	ea	25	\$5.09

VENTS, DRYER

JOHNSTONE CLOTHES DRYER HOOK-UP FITTINGS


Adjustable Metal Dust Clamps



BHS#	DESCRIPTION	U/M	BOX	RETAIL
182-50	JOHNSTONE R94-018 4" ADJ CLAMP; FOO	ea	1	\$1.17

Dryer Vents - Wide Mount Hoods


Hood, aluminum pipe and collar. 4" White Hood - Assembled.



BHS#	DESCRIPTION	U/M	BOX	RETAIL
182-100	JOHNSTONE R94-068 VENT HOOD; FOO MVPB4Z	ea	12	\$7.57

Flexible Aluminum Ducting

An inexpensive alternative to the high cost of conventional ducting. Prevents lint build-up. Recommended by leading dryer manufacturers. Reduces drying time. Smoother inside of ducting allows for faster flow of exhausted air. Has a stretch-to-fit benefit. Vents clothes dryers, kitchen and bathroom fans, range hoods, some kitchen ranges, and other airflow applications.



BHS#	DESCRIPTION	U/M	BOX	RETAIL
182-120	JOHNSTONE R94-077 4x8' ALUM DUCTING ;MFX48X; FOO	ea	1	\$17.67

Flexible Vinyl Ducting

BHS#	DESCRIPTION	U/M	BOX	RETAIL
182-80	JOHNSTONE R94-060 4 X 20'FLEX VINYL DUCT; FOO	ea	1	\$12.62

VENTS, MINIATURE

MORWESCO MINIATURE VENTS

All-aluminum miniature ventilators are ideal for use in any hard-to-ventilate space.



BHS#	DESCRIPTION	U/M	BOX	RETAIL
268-136335	NORWESCO 559112 2.5" MINIATURE VENT ALUMINUM	ea	12	\$3.32

VENTS, MINIATURE

NORWESCO MINIATURE VENTS

Easy, low cost way to ventilate hard-to-get-at spaces. All aluminum construction.



BHS#	DESCRIPTION	U/M	BOX	RETAIL
268-413	NORWESCO 559113 1-1/2" MINI VENT; ALUMINUM; RL-100	ea	12	\$2.30
268-130010	NORWESCO 559001 3" MINIATURE VENT; ALUMINUM	ea	12	\$4.29
268-131073	NORWESCO 559111 2" MINIATURE VENT; ALUMINUM	ea	12	\$2.54
268-400	NORWESCO 559002 4" MINIATURE VENT; ALUMINUM	ea	12	\$5.46

VENTS, SOFFIT

NORWESCO SOFFIT VENTILATORS

Aluminum Ventilators

1/8" Mesh. Aluminum.



BHS#	DESCRIPTION	U/M	BOX	RETAIL
268-240	NORWESCO S166A ALUM SOFFIT VENT;FOO 558016; BROKEN BUNDLE PRICING	ea	12	\$7.03
268-250	NORWESCO S168A ALUM SOFFIT VENT;FOO 558017; BROKEN BUNDLE PRICING	ea	12	\$7.16

Galvanized Ventilators

Galvanized. 1/8" Mesh. F.O.O. Items - Allow a minimum of 3 weeks for delivery.



BHS#	DESCRIPTION	U/M	BOX	RETAIL
268-190	NORWESCO S166 GALV SOFFIT VENT;FOO; STEEL; 558006	ea	12	\$4.88
268-200	NORWESCO S168 GALV SOFFIT VENT;FOO; STEEL; 558007; BROKEN BUNDLE PRICE	ea	12	\$5.37

Galvanized Ventilators with Damper

1/8" Mesh. Galvanized - with Damper.



BHS#	DESCRIPTION	U/M	BOX	RETAIL
268-210	NORWESCO SD168 GALV SOFFIT VENT;FOO STEEL; 558027; BROKEN BUNDLE PRICE	ea	12	\$19.40

WALL STACK

NORWESCO WALL STACK

BHS#	DESCRIPTION	U/M	BOX	RETAIL
268-440	NORWESCO 3-1/4 X 10 X 24 ALUM WALL STACK; 122504; BROKEN BUNDLE PRICE; FOO	ea	12	\$18.32

Table of Contents

Alphabetized listing

A		
	ADJUSTABLE ELBOW	1458
F		
	FANS, EXHAUST	1452-1455
	FANS, PADDLE	1456
	FURNACE PIPE	1458
H		
	HEATERS, CEILING	1456
	HOOD FANS VENTILATORS	1451-1459
	HOOD FANS VENTILATORS TABLE OF CONTENTS	1451
V		
	VENTILATION ACCESSORIES, ELBOW	1457
	VENTILATION ACCESSORIES, FILTER	1457
	VENTILATION ACCESSORIES, SWITCH	1457
	VENTILATION ACCESSORIES, TRANSITION	1457
	VENTILATION ACCESSORIES, WALL CAP	1457-1458
	VENTOLATER ACCESSORIES	1457
	VENTS, DRYER	1458
	VENTS, MINIATURE	1458-1459
	VENTS, SOFFIT	1459
W		
	WALL STACK	1459