

# Table of Contents

## Categorized Listing

SASH HARDWARE TABLE OF CONTENTS	1301
CASEMENT ADJUSTERS	1303
<i>IVES FRICTION CASEMENT ADJUSTERS</i>	1303
CASEMENT FASTENERS	1303
<i>ACORN CASEMENT FASTENERS</i>	1303
<i>DELTANA CASEMENT FASTENERS</i>	1303
<i>IVES CASEMENT FASTENERS</i>	1303
<i>IVES HANDLE GRIP CASEMENT FASTENERS</i>	1304
<i>IVES STRIKES ONLY FOR CASEMENT FASTENERS</i>	1304
<i>MERIT CASEMENT FASTENERS</i>	1305
<i>CASEMENT FASTENERS ONLY</i>	1305
CASEMENT FASTENER	1305
<i>STANLEY CASEMENT FASTENER</i>	1305
CASEMENT FASTENERS	1305
<i>WHITCO CASEMENT FASTENERS</i>	1305
CASEMENT HINGES	1306
<i>WHITCO CASEMENT AND AWNING HINGES</i>	1306
CASEMENT OPERATOR	1306
<i>WRIGHT CASEMENT WINDOW OPERATOR</i>	1306
CASEMENT STAY	1307
<i>DELTANA CASEMENT STAY</i>	1307
SASH ADJUSTERS	1307
<i>STANLEY STORM SASH ADJUSTERS</i>	1307
SASH BALANCE	1307
<i>DUPLEX ADJUSTABLE SASH BALANCE</i>	1307
<i>PULLMAN SASH BALANCES</i>	1307
SASH CONTROLLER	1308
<i>WRIGHT QUIKI-WINDOW CONTROL</i>	1308
SASH LIFTS	1308
<i>STANLEY HOOK LIFTS</i>	1308
<i>DELTANA WINDOW PULL</i>	1308
SASH LIFT	1308
<i>DELTANA WINDOW PULL</i>	1308
SASH LIFTS	1308
<i>IVES WINDOW SASH LIFTS</i>	1308
<i>STANLEY SOLID BRASS SASH LIFTS</i>	1309
<i>STANLEY SOLID BRASS UTILITY PULLS</i>	1309
SASH LOCKS	1309
<i>BULLDOG WINDOW LOCKS</i>	1309
<i>IVES SIDE WINDOW LOCKS</i>	1309
<i>IVES SPRING ACTUATED WINDOW LOCKS</i>	1309
<i>IVES WINDOW LOCKS</i>	1309
<i>STANLEY SASH LOCKS</i>	1310
SASH LOCK	1310
<i>STANLEY SASH LOCK</i>	1310
SASH LOCKS	1310
<i>STANLEY WEATHER SEAL SASH LOCKS</i>	1310
<i>STANLEY WINDOW LOCK GUARDS</i>	1311
SCREEN HARDWARE	1311
<i>SLIDE-CO WINDOW SCREEN HARDWARE</i>	1311
SCREEN SASH HANGERS	1312
<i>STANLEY SCREEN AND STORM SASH HANGERS</i>	1312
SCREEN TURN BUTTONS	1312
<i>STANLEY TURN BUTTONS</i>	1312
SNAP FASTENER	1312
<i>WRIGHT STORM WINDOW SNAP FASTENER</i>	1312
SPRING BOLTS	1313
<i>STANLEY WINDOW SPRING BOLTS</i>	1313

---



**CASEMENT ADJUSTERS**

**IVES FRICTION CASEMENT ADJUSTERS**

**Friction Casement Adjusters**




Solid Brass or Bronze - No Adjustment Required. 15 lb. Friction Tube 3/8" x 5/8", Projection 1", 10" Long. F.O.O. Items - Allow 2 weeks.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
174-1255	IVES 287B 10B 12" CASEMT ADJ	ea	10	\$95.30

**CASEMENT FASTENERS**

**ACORN CASEMENT FASTENERS**



For casement windows, shutters, closets, cabinet doors or gates. Not handed. Back plate size 2" x 1 1/8", handle projection 1 3/4". Lever handle length 3 1/4" Forged iron, black wrinkle finish. F.O.O. Items - Allow 2 weeks.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
004-382	ACORN RL8BR CASEMENT FASTENER; FOO	ea	1	\$39.99

**DELTANA CASEMENT FASTENERS**

**Solid Brass, Packed with 3 Strikes**



Window Lock, Casement Fastener, Medium

BHS#	DESCRIPTION	U/M	BOX	RETAIL
546-108954	DELTANA CF066U10B CASEMENT FASTENER	ea	20	\$16.80
546-115739	DELTANA CF66U10B CASEMENT FASTENER	ea	10	\$22.00

**IVES CASEMENT FASTENERS**

**Aluminum Fastener with Rim, Mortise and Surface Strike**



Aluminum Casement Fastener 2 1/16" x 1 1/16" Base.


BHS#	DESCRIPTION	U/M	BOX	RETAIL
174-618	IVES 066A 92 RS MS SS CASEMT FASTNR w/ 3 STRIKES	ea	10	\$5.10
174-584	IVES 66A 92 RS MS SS CASEMT FASTNR w/ 3 STRIKES	ea	10	\$6.00
174-612	IVES 066A 3 RS MS SS CASEMT FASTNR w/ 3 STRIKES	ea	10	\$5.10
174-614	IVES 066A 10B RS MS SS CASEMENT FASTENER w/ 3 STRIKES	ea	10	\$5.10
174-615	IVES 066A 14 RS MS SS CASEMT FASTNR w/ 3 STRIKES	ea	10	\$5.10
174-580	IVES 66A 3 RS MS SS CASEMENT FASTNR w/ 3 STRIKES	ea	10	\$6.00

N/A



BHS#	DESCRIPTION	U/M	BOX	RETAIL
174-697	IVES 066B 15 RS MS SS CASEMT FASTNR w/ 3 STRIKES	ea	10	\$28.60
174-690	IVES 066B 3 RS MS SS CASEMT FASTNR w/ 3 STRIKES	ea	10	\$22.80

**Solid Brass Casement Fastener W/Mortise Strike**



Solid Brass or Bronze Base 2 1/16" x 1 1/16"; Projection 1 7/8".


BHS#	DESCRIPTION	U/M	BOX	RETAIL
174-642	IVES 66B 3 MS CASEMENT FASTENER	ea	10	\$28.00

**CASEMENT FASTENERS**

**IVES CASEMENT FASTENERS**

**Solid Brass Casement Fastener W/Rim Strike**

Solid Brass or Bronze Base 2 1/16" x 1 1/16"; Projection 1 7/8".



BHS#	DESCRIPTION	U/M	BOX	RETAIL
174-662	IVES 66B 3 RS CASEMENT FASTENER	ea	10	\$28.00

**Solid Brass Casement Fastener W/Surface Strike**

BHS#	DESCRIPTION	U/M	BOX	RETAIL
174-728	IVES 066B 3 SS CASEMENT FASTENER	ea	10	\$22.80

**Solid Brass Fastener with Rim, Mortise, and Surface Strike**



BHS#	DESCRIPTION	U/M	BOX	RETAIL
174-643	IVES 66B 15 RS MS SS CASEMENT FASTNR w/ 3 STRIKES	ea	10	\$28.00
174-648	IVES 66B 26D RS MS SS CASEMENT FASTNR w/ 3 STRIKES	ea	10	\$28.00
174-642	IVES 66B 3 RS MS SS CASEMENT FASTNR w/ 3 STRIKES	ea	10	\$28.00
174-646	IVES 66B 716 RS MS SS CASEMENT FASTNR w/ 3 STRIKES	ea	10	\$28.00

**IVES HANDLE GRIP CASEMENT FASTENERS**

Handle casement



BHS#	DESCRIPTION	U/M	BOX	RETAIL
174-752	IVES 68B 3 RS CASEMENT FASTENER	ea	10	\$47.97

**IVES STRIKES ONLY FOR CASEMENT FASTENERS**

**Mortise Strikes for 066A, 066B, 66A, 66B & 68B**

Aluminum strikes 666 = Plated Polished Brass, 673 = Aluminum Clear Coat. F.O.O. Items - Allow 4 weeks for delivery.



BHS#	DESCRIPTION	U/M	BOX	RETAIL
174-706	IVES 09-55-613 MORT STR 066B10B;FOO	ea	5	\$5.00
174-622	IVES 09-58-666 MORT STR f/066A3;FOO	ea	10	\$2.90
174-652	IVES 09-71-605 MORT STR f/66B3; FOO	ea	5	\$9.00
174-592	IVES 09-74-666 MORT STR f/66A3; FOO	ea	10	\$3.20
174-596	IVES 09-74-673 MORT STR f/66A92;FOO	ea	10	\$3.20

**Rim Strikes for 066A, 066B, 66A, 66B & 68B**


Aluminum strikes 666 = Plated Polished Brass, 673 = Aluminum Clear Coat. F.O.O. Items - Allow 4 weeks for delivery.



BHS#	DESCRIPTION	U/M	BOX	RETAIL
174-722	IVES 09-56-605 RIM STR f/066B3; FOO	ea	5	\$5.00
174-632	IVES 09-59-666 RIM STR f/066A3; FOO	ea	10	\$2.90
174-674	IVES 09-72-612 RIM STR F/66B10	ea	5	\$9.00
174-602	IVES 09-75-666 RIM STR FOR 66A3;FOO	ea	10	\$3.20
174-606	IVES 09-75-673 RIM STR f/66A92; FOO	ea	10	\$3.20

**Surface Strikes for 066B3**

F.O.O. Items - Allow 4 weeks for delivery.




BHS#	DESCRIPTION	U/M	BOX	RETAIL
174-727	IVES 09-57-605 SURF.STK f/066B3;FOO	ea	5	\$10.40

**CASEMENT FASTENERS**

**MERIT CASEMENT FASTENERS**


**Casement Fasteners Only**



Cast Brass or Bronze. Base size 1 3/16" x 2 1/16"; overall length, 5". Less Strike. Other finishes available F.O.O. - Allow 12 weeks.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
242-41	MERIT 1323 US26D LH LATCH;LESS STRK	ea	1	\$53.25
242-40	MERIT 1323 US26D RH LATCH;LESS STRK	ea	1	\$53.25

**Strikes Only for Merit Casement Fasteners**



Strikes Only. Ordered Separately.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
242-46	MERIT 1323S US26D SURFACE STK ONLY	ea	1	\$18.02
242-45	MERIT 1323SM US26D MORTISE STK ONLY	ea	1	\$15.17

**CASEMENT FASTENERS ONLY**

N/A



Bronze Finish, Right Hand, Casement Window Locking Handle, Diecast Locking Handle & Keeper With 1-1/2" Hole, Holes Are Drilled & Counter Sunk For #10 Flat Head Screws, Common On Metal Framed Windows, Handing As Viewed From Inside.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
324-172515	SLIDECO 171924-R RH CASEMENT LOCK HANDLE	ea	6	\$11.08
324-158089	SLIDECO 171924-L LH CASEMENT LOCK HANDLE	ea	6	\$11.08

**CASEMENT FASTENER**

**STANLEY CASEMENT FASTENER**




Holds casement windows securely closed Can also be used on cabinet doors Furnished with both rim and mortise strikes Base material: Zinc die cast

BHS#	DESCRIPTION	U/M	BOX	RETAIL
332-3986	STAN CD7077 US3 CASEMENT FASTENER 754022; 1/CD	cd	5	\$7.95

**CASEMENT FASTENERS**

**WHITCO CASEMENT FASTENERS**



Solid Brass or Bronze. Specify LH or RH. Base 1 5/8" x 7/8". Handle 3" long, projection 1". One per box with mortise strike & screws.


BHS#	DESCRIPTION	U/M	BOX	RETAIL
406-140	WHITCO 47L US3 SASH FSTNR X M.STK & SCREWS	ea	1	\$60.00
406-145	WHITCO 47R US3 SASH FSTNR X M.STK & SCREWS	ea	1	\$60.00
406-175	WHITCO 47L US10B SASH FSTNR X M.STK & SCREWS; repl. US20	ea	1	\$60.00
406-180	WHITCO 47R US10B SASH FSTNR X M.STK & SCREWS; repl. US20	ea	1	\$60.00

**CASEMENT HINGES**

**WHITCO CASEMENT AND AWNING HINGES**

**Awning Type Hardware**


Spring friction wind holder action. Made of galvanized steel. For 1 3/4" sash or heavier. Factory Order Only - Allow 10 days for delivery.



Mfg. No.	Max. Ht. Sash	Hdwe. Length	Wt.
210AW	12"	10"	1 3/4 lbs.
212AW	14"	12"	2 lbs.
214AW	16"	14"	2 1/2 lbs.
216AW	18"	16"	3 lbs.
218AW	20"	18"	3 1/4 lbs.
220AW	22"	20"	3 1/2 lbs.
224AW	27"	24"	3 3/4 lbs.
230AW	33"	30"	4 1/2 lbs.
236AW	40"	36"	5 1/2 lbs.
242AW	47"	42"	6 1/2 lbs.
248AW	58"	48"	7 1/2 lbs.

DESCRIPTION	U/M	BOX	RETAIL
WHITCO AWNING HDWE Call For Pricing	st	1	\$0.00

**Casement Type Hardware**



**For Casement and Awning Type**

Made of galvanized steel. Non-rattling. Permits both sides of windows to be cleaned from the inside. Whitco stock numbers refer to the length in inches of the hardware. For example: 12 x Whitco means 12" in length. For 1 3/8" casement sash.

Mfg. No.	Casement Max Width Sash	Awning Transom Max Height	Wt.
8X	16"	10"	1 lb.
10X	20"	12"	1.4 lbs.
12X	24"	14"	1.6 lbs.
14X	28"	16"	2.1 lbs.
16X	32"	18"	2.5 lbs.
18X	36"	20"	3 lbs.
20X	40"	24"	3.4 lbs.
24X	48"	28"	4 lbs.


BHS#	DESCRIPTION	U/M	BOX	RETAIL
406-10	WHITCO 8X STEEL CASEMENT HDWE SET	st	1	\$37.00
406-20	WHITCO 10X STEEL CASEMENT HDWE SET	st	1	\$39.00
406-30	WHITCO 12X STEEL CASEMENT HDWE SET	st	1	\$42.00
406-40	WHITCO 14X STEEL CASEMNT HDWE SET	st	1	\$44.00
406-50	WHITCO 16X STEEL CASEMNT HDWE SET	st	1	\$46.00
406-70	WHITCO 18X STEEL CASEMNT HDWE SET	st	1	\$50.00
406-80	WHITCO 20X STEEL CASEMENT HDWE SET	st	1	\$51.00
406-100	WHITCO 24X STEEL CASEMNT HDWE SET	st	1	\$56.00

**CASEMENT OPERATOR**

**WRIGHT CASEMENT WINDOW OPERATOR**

**For Metal Out swinging Casement Windows**

Replaces standard crank-type operators: worm and gear machine-cut of case hardened steel, crank and case extra-strong zamac casting, zinc-plated steel operator arm; installation instructions on back of card. Skin-packed. Aluminum Finish.



BHS#	DESCRIPTION	U/M	BOX	RETAIL
414-100	WRIGHT V80L9 AL CASEMENT OPERATOR	ea	5	\$19.37
414-110	WRIGHT V80R9 AL CASEMENT OPERATOR	ea	5	\$19.37

**CASEMENT STAY**

**DELTA CASEMENT STAY**

**10" Solid Brass**


10" Casement Stay Adjuster



BHS#	DESCRIPTION	U/M	BOX	RETAIL
546-103063	DELTA CSA10U10B 10" CASEMENT STAY ADJUSTER	ea	10	\$41.80
546-105009	DELTA CSA10U15 10" CASEMENT STAY ADJUSTER	ea	10	\$41.80
546-156636	DELTA CSA10CR003 10" CASEMENT STAY ADJUSTER	ea	10	\$43.80

**SASH ADJUSTERS**

**STANLEY STORM SASH ADJUSTERS**




A set contains of one pair of adjusters and one pull. An adjuster is applied to each side of the sash and permits opening to any position. Adjustable friction unit, of special construction and material, provides positive holding with no danger of deterioration from the weather. In taking off storm sash, the arm can be quickly disengaged by sliding back the stainless steel clip. Steel - Bright zinc plated, with screws.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
332-3506	STAN 1727 US2C SASH ADJUSTER 367040	ea	5	\$21.11

**SASH BALANCE**

**DUPLEX ADJUSTABLE SASH BALANCE**



Noiseless, finger-tip control. Easy to install. For double hung windows. On the average window, a single Duplex unit balances both upper and lower sash and does the work of two conventional type balances. The Duplex is adjusted with an ordinary screw driver. The high-grade American clock springs used in Duplex are entirely free acting with no frictional drag.

**SINGLE INSTALLATION (one Balance one side only)**

Mfg. No.	Max. Sash H	Max. Sash W	Wt./Ea. Sash	Pkd/Case	Mfg. No.	Max. Sash H	Max. Sash W	Wt./Ea. Sash	Pkd/Case
1	40"	36"	4 to 8 lbs.	30	4	40"	36"	12 to 18 lbs.	24 F.O.O.
2	40"	36"	8 to 12 lbs.	30	5	40"	36"	18 to 24 lbs.	24 F.O.O.

**DOUBLE INSTALLATIONS (one Balance both sides of Sash)**


Mfg. No.	Max. Sash H	Max. Sash W	Depth Pulley	Wt./Ea. Sash	Mfg. No.	Max. Sash H	Max. Sash W	Depth Pulley	Wt./Ea. Sash
1	40"	No Limit	3/4"	8 to 16 lbs.	4	40"	No Limit	1 1/2"	24 to 36 lbs.
2	40"	No Limit	3/4"	16 to 24 lbs.	5	40"	No Limit	1 1/2"	36 to 48 lbs.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
100-10	DUPLEX #1 SASH BALANCE ( Do Not adjust more than 3 turns) ( Do Not try to back it off)	ea	30	\$22.31
100-20	DUPLEX #2 SASH BALANCE ( Do Not adjust more than 3 turns) ( Do Not try to back it off)	ea	30	\$26.61

**PULLMAN SASH BALANCES**

All pressed steel construction. Easy to install. Smooth, easy, and quiet. Face: 1" wide by 6" high. Provided with patented tape hook device, permitting balances to be installed or removed while the sash is in place. Length of tape is 46". Price on Application. F.O.O. Allow 4 weeks lead time.

**SPECIFICATIONS**



Side Type	Overhead Type	Weight each Sash	Side Type	Overhead Type	Weight each Sash
2-A	102-A	4 to 5 lbs.	8-A	108-A	15 to 17 lbs.
3-A	103-A	5 to 7 lbs.	9-A	109-A	17 to 19 lbs.
4-A	104-A	7 to 9 lbs.	10-A	110-A	19 to 21 lbs.
5-A	105-A	9 to 11 lbs.	11-A	111-A	21 to 23 lbs.
6-A	106-A	11 to 13 lbs.	12-A	112-A	23 to 25 lbs.
7-A	107-A	13 to 15 lbs.	13-A	113-A	25 to 27 lbs.
			14-A	114-A	27 to 29 lbs.

DESCRIPTION	U/M	BOX	RETAIL
PULLMAN SASH BAL. Call For Pricing	ea	1	\$0.00

**SASH CONTROLLER**

**WRIGHT QUIKI-WINDOW CONTROL**

Stainless Steel. Controls double hung windows when cord is broken or sash weight is missing. Tightens window and eliminates rattling.




BHS#	DESCRIPTION	U/M	BOX	RETAIL
414-40	WRIGHT V21 WINDOW CONTROL; 1PR/CD	ea	10	\$2.99

**SASH LIFTS**

**STANLEY HOOK LIFTS**

Functions as a sash lift on double hung windows. Can also be used as a drawer pull. Hook design with smooth edges. Wrought steel. Carded, with screws. 2 per card. Items marked F.O.O. - Allow 3 weeks for delivery.



BHS#	DESCRIPTION	U/M	BOX	RETAIL
332-2106	STAN CD486 ST4C SASH LIFTS 751450; 2/CD	cd	5	\$3.10

**DELTANA WINDOW PULL**

**6" Over All**

Pull, 6"



BHS#	DESCRIPTION	U/M	BOX	RETAIL
546-136275	DELTANA WP27U10B WINDOW PULL	ea	5	\$25.50
546-212273	DELTANA WP27U15 WINDOW PULL	ea	5	\$25.50
546-206455	DELTANA WP27U26D WINDOW PULL	ea	5	\$25.50
546-212274	DELTANA WP27U3 WINDOW PULL	ea	5	\$22.00

**SASH LIFT**

**DELTANA WINDOW PULL**

**3 3/4" Over All**

Pull, 3 3/4"



BHS#	DESCRIPTION	U/M	BOX	RETAIL
546-119292	DELTANA WP350U10B WINDOW PULL	ea	10	\$7.10
546-205699	DELTANA WP350U26D WINDOW PULL	ea	10	\$7.10
546-212272	DELTANA WP350U3 WINDOW PULL	ea	10	\$6.80

**SASH LIFTS**

**IVES WINDOW SASH LIFTS**

**4" Aluminum Sash Lifts**

Facilitates opening of window in a safe manner. Can also be used as a drawer or utility pull. Fed. Spec. 1204AL. Conforms to ANSI L35183. Size 1 1/8" x 4", Projection 1 1/16". Cast aluminum, burnished.



BHS#	DESCRIPTION	U/M	BOX	RETAIL
174-212	IVES 026A 3 BAR WINDOW LIFT	ea	20	\$1.50
174-214	IVES 026A 5 BAR WINDOW LIFT	ea	25	\$1.90
174-218	IVES SP 026A 14 BAR WINDOW LIFT	ea	25	\$1.90

**4" Solid Brass Sash Lifts**

Fed. Spec. 1204. Conforms to ANSI A156.16 A15182. Size 1 1/8" x 4"; Projection 1 1/16".



BHS#	DESCRIPTION	U/M	BOX	RETAIL
174-222	IVES 026B 3 BAR WINDOW LIFT	ea	10	\$7.00
174-216	IVES 026B 716 UTILITY PULL replaces 10B	ea	10	\$8.70
174-225	IVES 026B 15 UTILITY PULL	ea	10	\$8.70
174-226	IVES 026B 26 BAR WINDOW LIFT	ea	10	\$8.70
174-228	IVES 026B 26D BAR WINDOW LIFT	ea	10	\$8.40

**SASH LIFTS**

**IVES WINDOW SASH LIFTS**

**5" Solid Brass Sash Lifts**

Conforms for Fed. Spec. No. 1203 for brass only. Conforms to ANSI A156.16 L15181. Packed with screws. Size 1 3/8" x 5"; Projection 1 1/4".



BHS#	DESCRIPTION	U/M	BOX	RETAIL
174-244	IVES 27MB 15 UTILITY PULL	ea	10	\$18.50

**STANLEY SOLID BRASS SASH LIFTS**

Solid Brass - bright brass finish, with solid brass screws. Ideally suited for use on double hung windows. Can also function as a stylish door, cabinet or drawer pull. Decorative solid brass sash lift adds the finishing touch of elegance to any room. Size overall 4" x 1 1/16"; projection 15/16". Carded.



BHS#	DESCRIPTION	U/M	BOX	RETAIL
332-4422	STAN CD80-4045 US3 SASH LIFT 804045	cd	5	\$8.66

**STANLEY SOLID BRASS UTILITY PULLS**

Solid Brass - bright brass finish, with solid brass screws. Ideal for use as a stylish door, cabinet or drawer pull. Can also be utilized as a sash lift. Decorative polished finish complements the finest interior doors. Carded.



BHS#	DESCRIPTION	U/M	BOX	RETAIL
332-4424	STAN CD80-4050 US3 UTIL.PULL 804050	cd	5	\$13.98

**SASH LOCKS**

**BULLDOG WINDOW LOCKS**

**Aluminum Base Window Locks**

BHS#	DESCRIPTION	U/M	BOX	RETAIL
058-169087	BULLDOG 3506121282 US3 SASH LOCK (1-pk); DHH-80	ea	6	\$3.26

**IVES SIDE WINDOW LOCKS**

Burnished cast aluminum. Cam action eliminates rattles and holds window firmly in desired position. May be used singularly for small windows, or in pairs for large windows. Packed with screws. Size - 1 3/4" x 1 1/8".



BHS#	DESCRIPTION	U/M	BOX	RETAIL
174-872	IVES SP 90A 3 SIDE WINDOW LOCK	ea	25	\$3.60

**IVES SPRING ACTUATED WINDOW LOCKS**

Spring actuated lever provides direct pull, which pulls rails together. Jimmy-resistant, stops rattle and drafts. When unlocking, lever automatically returns to opened position. Conforms to design requirements of ANSI A156.16. Packed with screws. Carded. Steel Base 1 3/8" x 2 5/16" - Strike 9/16" x 2 3/16".



BHS#	DESCRIPTION	U/M	BOX	RETAIL
174-138	IVES C 4F 3 WINDOW LOCK	cd	5	\$5.30

**IVES WINDOW LOCKS**

**Aluminum Base Window Locks**

Designed low to the sash for superior strength and greater resistance to breakage. Vertical and horizontal camming action for snug, no rattling fit. Heavy gauge springs provide longwearing action. Conforms to design requirements of ANSI A156.16. Packed with screws. Size overall 15/16" x 2 5/8". Strike 5/8" x 2 5/8", Projection 1", Screw Hole Centers 2".




BHS#	DESCRIPTION	U/M	BOX	RETAIL
174-147	IVES SP 07A 3 WINDOW LOCK	ea	25	\$2.10
174-149	IVES SP 07A 5 WINDOW LOCK	ea	25	\$3.30
174-153	IVES SP 07A 14 WINDOW LOCK	ea	25	\$2.50

**SASH LOCKS**

**IVES WINDOW LOCKS**

**Solid Cast Brass Window Locks**

Machine Polished.



BHS#	DESCRIPTION	U/M	BOX	RETAIL
174-167	IVES 07MB 3 WINDOW LOCK	ea	10	\$13.60
174-1565	IVES 07B 716 WINDOW LOCK replaces 07MB 10B	ea	10	\$16.40
174-170	IVES 07MB 15 WINDOW LOCK	ea	10	\$17.00
174-172	IVES 07MB 15A WINDOW LOCK; FOO	ea	10	\$17.00
174-173	IVES 07MB 26 WINDOW LOCK	ea	10	\$16.40
174-175	IVES 07MB 26D WINDOW LOCK	ea	10	\$16.40

**STANLEY SASH LOCKS**


**Jimmy-Proof**

Sash lock and strike for double hung windows Helps guard against intruders Secures window and reduces rattling



BHS#	DESCRIPTION	U/M	BOX	RETAIL
332-33500	STAN CD2000 US3 JIMMY-PROOF SASH LOCK 756047; 1/CD	cd	5	\$6.79

Sash lock and strike for double hung windows. Secures window and reduces rattling. Lever action for ease of operation. Packed one per card, with screws. Lock/Base Dimensions: 2 9/16" x 15/16"; Strike/Base Dimensions: 2 9/16" x 9/16".



BHS#	DESCRIPTION	U/M	BOX	RETAIL
332-3976	STAN CD7073 US3 SASH LOCK 755876	cd	10	\$3.58
332-3978	STAN CD7073 F8 SASH LOCK 755881	cd	10	\$3.96

**SASH LOCK**

**STANLEY SASH LOCK**

**Narrow Sash Lock**

Sash lock and strike for double hung windows Ideal for use on vinyl windows Secures window and reduces rattling Base material: Zinc die cast 2-13/16"x1" Lock size 7/8"x5/16" Strike size




BHS#	DESCRIPTION	U/M	BOX	RETAIL
332-3956	STAN CD7069 US3 NARROW SASH LOCK 819171; 1/CD	cd	5	\$7.72

**SASH LOCKS**

**STANLEY WEATHER SEAL SASH LOCKS**


Ideal for use in securing double hung windows. Window sashes are drawn together by cam action of lock. Sealing action helps prevent movement of air round ill fitting window frames. Packed one per card, with screws. Solid Brass, with solid brass screws. Lock/Base Dimensions: 2 11/32" x 13/8", Strike/Base Dimensions: 2 7/32" x 1 17/32".



BHS#	DESCRIPTION	U/M	BOX	RETAIL
332-4406	STAN CD80-4005 US3 SASH LOCK 804005	cd	5	\$16.35

**SASH LOCKS**

**STANLEY WINDOW LOCK GUARDS**




Zinc die cast - bright brass finish, with screws. Keyed alike. Can be used on double hung or sliding windows to provide ventilation with key lock security. Each guard is supplied with two strikes so window can be locked in either open or closed position. Push to lock, key required to unlock. Furnished "keyed alike" for single key operation of multiple guards. Attractive bright brass finish with screws and two keys. Carded, 1 per card, with screws. Lock/Mounting Plate Length x Width: 1 3/8" x 1 3/4", Bolt Throw: 7/16", Bore Hole Size: 7/16". Strike Length x Width: 1 5/8" x 1 3/8".

BHS#	DESCRIPTION	U/M	BOX	RETAIL
332-3685	STAN CD4540 US3 WINDOWGUA KA 610500; FOO	cd	5	\$19.44

**SCREEN HARDWARE**

**SLIDE-CO WINDOW SCREEN HARDWARE**


**Aluminum Casement Clip, 5/16"**



Aluminum "C" screen clip. 5/16" casement clip with screw.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
324-2020	SLIDECO 18307 SCREEN CLIPS; FOO	ea	6	\$1.94


**Diecast Clip**



1/4" plain screen clips. Zinc alloy. Comes in different sizes.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
324-1880	SLIDECO 18107-1 1/16" SCREEN CLIPS; FOO	ea	6	\$1.94
324-1900	SLIDECO 18107-3 3/16" SCREEN CLIPS; FOO	ea	6	\$1.94
324-1920	SLIDECO 18107-5 5/16" SCREEN CLIPS; FOO	ea	6	\$1.94
324-1930	SLIDECO 18107-6 3/8" SCREEN CLIPS; FOO	ea	6	\$1.94
324-1940	SLIDECO 18107-7 7/16" SCREEN CLIPS; FOO	ea	6	\$1.94
324-1870	SLIDECO 18107-F SCREEN CLIPS	ea	6	\$1.94

**Plastic Screen Clip, 7/16"**



7/16" plastic screen clips.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
324-2040	SLIDECO 18716 SCREEN CLIPS 4/cd	ea	6	\$1.48

**Plastic Wing Clip, 1/16"**



1/16" Plastic wing clips for flush type window screens.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
324-490	SLIDECO 1867 SCREEN CLIPS	ea	6	\$1.48

**SCREEN HARDWARE**

**SLIDE-CO WINDOW SCREEN HARDWARE**


**Plastic Flush Clip**



Nylon screen clips. Flush only.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
324-1970	SLIDECO 18149 SCREEN CLIPS	ea	6	\$1.48


**Plunger Latch**



Nylon plunger bolt with springs, for 3/4" window screen frame.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
324-430	SLIDECO 1857-N NYL PLUNGER BOLT;FOO	ea	6	\$2.84


**Screen Retainer Clip**



Screen hanger set. Top and bottom plastic screen retainers. For 3/8" screen frame. Holds screen on sliding window.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
324-2060	SLIDECO 18814 SCREEN CLIPS	ea	6	\$2.98

**Tension Spring Clip**



Tension Spring Clip. For 3/8" aluminum screen frame. Holds screen snugly in window frame. Requires drilling two 3/16" holes. 3 5/16" apart.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
324-2070	SLIDECO 18818 TENSION SPRINGS; FOO	ea	6	\$1.94

**SCREEN SASH HANGERS**

**STANLEY SCREEN AND STORM SASH HANGERS**

**Storm Sash Hangers**



Steel - Bright zinc plated, with screws. For screens or storm sash hung flush with casing. Will hold screens or sash snugly to the window frame preventing rattling. Eye 2" x 1 7/8", hook 1 7/8" x 3/4". SP pack - one pair with screws. CD pack consists of two each 1724 and one hook and eye. For full-length screens and storm sash.


BHS#	DESCRIPTION	U/M	BOX	RETAIL
332-3510	STAN CD1734 US2C SASH HANGER 748000	cd	5	\$4.45
332-3504	STAN SP1724 US2C SASH HANGER 814500	pk	20	\$2.43

**SCREEN TURN BUTTONS**

**STANLEY TURN BUTTONS**

**Carded Full Turn Buttons**

Carded - Packed 4 per card with screws.



BHS#	DESCRIPTION	U/M	BOX	RETAIL
332-11	STAN CD4 US2C TURN BUTTONS 762000	cd	10	\$2.51

**Full Turn Buttons**




Steel-bright zinc plated. A basic piece of hardware for simple fastening of screens, storm sashes and battens. Packed with screws. Size 1 3/4" long.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
332-10	STAN 4 US2C TURN BUTTON 570450 (was SC4)	ea	150	\$0.46

**SNAP FASTENER**

**WRIGHT STORM WINDOW SNAP FASTENER**



Tempered spring steel fastener is screwed to the window frame. Firmly holds screens and storm window without marring the painted surface. Zinc plated. 4 on a card or bulk 144/box.

BHS#	DESCRIPTION	U/M	BOX	RETAIL
414-50	WRIGHT V29 SNAP FASTENERS; 4/CD	cd	10	\$4.55

**SPRING BOLTS**

**STANLEY WINDOW SPRING BOLTS**



Steel, bright zinc plated. Specifications: Bolt Length 3 1/4"; Case Length 1 7/8"; Throw 1/2"; Bore 3/8".

<b>BHS#</b>	<b>DESCRIPTION</b>	<b>U/M</b>	<b>BOX</b>	<b>RETAIL</b>
332-3480	STAN 1697 3-1/4" US2C SP.BOLT 576090	ea	25	\$2.01



# Table of Contents

## Alphabetized listing

### C

CASEMENT ADJUSTERS	1303
CASEMENT FASTENER	1305
CASEMENT FASTENERS	1303-1305
CASEMENT HINGES	1306
CASEMENT OPERATOR	1306
CASEMENT STAY	1307

### S

SASH ADJUSTERS	1307
SASH BALANCE	1307
SASH CONTROLLER	1308
SASH HARDWARE	1301-1313
SASH HARDWARE TABLE OF CONTENTS	1301
SASH LIFT	1308
SASH LIFTS	1308
SASH LOCK	1310
SASH LOCKS	1309-1311
SCREEN HARDWARE	1311-1312
SCREEN SASH HANGERS	1312
SCREEN TURN BUTTONS	1312
SNAP FASTENER	1312
SPRING BOLTS	1313